

PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc. has assessed the Laboratory of:

Plásticos y Derivados Country S. de R.L. de C.V.

Vicente Guerrero # 320, Col. El Mante Zapopan, Jalisco, México C.P. 45235

(Hereinafter called the Organization) and hereby declares that Organization is accredited in accordance with the recognized International Standard:

ISO/IEC 17025:2005

This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (as outlined by the joint ISO-ILAC-IAF Communiqué dated April 2017):

Mechanical and Chemical Testing (As detailed in the supplement)

Accreditation claims for such testing and/or calibration services shall only be made from addresses referenced within this certificate. This Accreditation is granted subject to the system rules governing the Accreditation referred to above, and the Organization hereby covenants with the Accreditation body's duty to observe and comply with the said rules.

For PJLA:

Tracy Szerszen
President/Operations Manager

Perry Johnson Laboratory Accreditation, Inc. (PJLA) 755 W. Big Beaver, Suite 1325 Troy, Michigan 48084 Initial Accreditation Date:

Issue Date:

Expiration Date:

May 5, 2018

May 5, 2018

June 30, 2020

Accreditation No.:

Certificate No.:

99219

L18-209

The validity of this certificate is maintained through ongoing assessments based on a continuous accreditation cycle. The validity of this certificate should be confirmed through the PJLA website: www.pjlabs.com





Certificate of Accreditation: Supplement

Plásticos y Derivados Country S. de R.L. de C.V.

Vicente Guerrero # 320, Col. El Mante Zapopan, Jalisco, México C.P. 45235

Contact Name: Martha Castillo Cruz Phone: 331-256-0620

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Mechanical ^F	Plastic Film	Elongation	ASTM D3826	1 % to 750 %
			Universal Machine	
Chemical ^F		Fluorescent	ASTM D5208	Visual
		Ultraviolet (UV)		
		Exposure of		
		Photodegradable		
		Plastics		

1. The presence of a superscript F means that the laboratory performs testing of the indicated parameter at its fixed location. Example: Outside Micrometer^F would mean that the laboratory performs this testing at its fixed location.

